g! User Interface Family

- **The revolutionary, award-winning HR2 Handheld Remote is the ultimate merger of the TV remote and home control.**
- **The TS10 and TS7 Touch Screens feature an attractive array of control icons and the unique "touch & flick" design.**
- **The TS2 Touchpad gives you extensive control capability for less – on the wall or on the desk.**
- **With g!*mobile* applications for iPod touch, iPhone, or iPad you're always just a touch away from home.**

Complete Control at Your Fingertips – at Home, at Work, at Play

The g! interface family is ELAN's breakthrough series of touchscreen devices and applications that put total entertainment and control right at your fingertips. No matter what you want to control – the home, office, restaurant & bar, conference room or classroom, this exciting new group of g! interfaces enables you to do it all in a fast, powerful, and, most importantly, intuitive way. Each one of our handheld, mobile, or in-wall interfaces has the uniform g! look and feel creating a consistent user experience that is both familiar and satisfying. Simply touch one of the fun g! interface icons and you're in immediate control of your media, lighting, climate, security, video and much more!

Total Control in the Palm of Your Hand

The revolutionary, award-winning HR2 Handheld Remote is the ultimate merger of the TV remote and home control. The HR2 features all the hard buttons you'd expect in a familiar TV remote, plus brilliant icons, colorful cover art, highly responsive touch screen and much more. All combined in a slimline, sexy, one-inch thin design giving the HR2 the best feel and balance in its class.

Always There – Touch Devices for the Way You Live

Sometimes you need controls to be in the same place every time. That's what the g! family of in-wall and tabletop controls does for you. The TS10 and TS7 interfaces, with their attractive array of control icons, provide an elegant solution for managing all your home systems. Their touch and flick design is a remarkably easy way to control even the most sophisticated systems. And for complete control with affordability ELAN g! offers the TS2 Touchpad interface. Whether on your wall or on your tabletop, the TS2 gives you extensive control capability at less expense.

On the Go – Mobility That Follows You

Your lifestyle moves with you and so does g! With our g!*mobile* applications for iPod touch, iPhone, or iPad you're always just a touch away from home. Whether you are high on a mountaintop or at the park with the kids, you can check the temperature at the house or just make sure everything is secure. And it's also a great way to keep tabs on your vacation home.

ELAN®

HR2 Handheld Remote

THE ULTIMATE MERGER OF THE TV REMOTE AND HOME CONTROL.







Features

- All the speed, response & graphics of a touchscreen
- All the ease-of-use, simplicity-of-programming & affordability of a remote control
- Controls all AV sources with metadata feedback for supported devices
- Controls security, lighting, and climate with metadata feedback
- 46 backlit hard buttons for common functions found on today's sources
- 2.4" AMOLED display
- Noiseless accelerometer for activating LCD or backlight
- Slim profile for ease of use and comfort
- Uses instant-on 802.11g for communication
- IR blaster for line-of-sight control
- Quick & easy programming using the ELAN Configurator
- Compatible with all g! System Controllers
- Supports all drivers that operate on other g! interfaces
- Ships standard with battery, charging base, power supply, and USB Cable

Specifications

Screen Size . . . . . 2.4" diagonal
Viewing Angle. . . . . .180°up/down,180°left/right
Operating Temperature . . . . . 32°F-104°F / 0°C-40°C

OLED Display

Type . . . . . .18 bit, 2.4" Active Matrix Organic LED
Colors 262K
Resolution . . . . . 240 W x 320 H

Connections

Download Port . . . . . Mini USB
Power Requirements 16VDC/1.87A
Dimensions – Remote (in.) 2-1/4 W x 9-1/8 H x 7/8 D
. . . . . .(mm) 57 W x 232 H x 23 D
Dimensions – Cradle . . . . . (in.) 4 Diameter x 3-13/16 H
. . . . . (mm) 102 W x 97 H
Product Weight 6.4 oz./0.18kg
Charging Cradle Weight. 6.4 oz./0.18kg
Shipping Weight. 2.3 lbs./1.04kg

Two-Year Limited Warranty

elanhomesystems.com

© ELAN HOME SYSTEMS • 2011 • ELAN Home Systems and g!are registered trademarks of The AVC Group, LLC • Carlsbad, CA USA

TS10 10" In-Wall Color LCD Touch Screen

Features

- 10-inch high-resolution Active Matrix LCD display
- Large display is ideal for watching TV in the kitchen or the bath
- Composite video for viewing TV sources or cameras
- 16:9 wide screen format
- Backlit hard buttons for commonly used functions
- Built-in speaker and microphone for messaging features
- Simple IP connectivity for communication
- Non-volatile flash memory
- Quick & easy programming
- Compatible with all ELAN controllers
- Easy retrofit installation
- Optional backbox and preconstruction brackets sold separately
- Screen saver mode displays user's photos
- Ships standard with white frame
- Frames colors available: almond,light almond, ivory, & black

White Almond Lt. Almond Ivory Black

Specifications

Screen Size . . . . . 10-inch diagonal, 16:9 widescreen
Viewing Angle . . . . . 50°up/60°down,65°left/right from center
Operating Temperature . . . . . 32°F-104°F / 0°C-40°C

Display

Type . . . . . .Color TFT LCD
Colors 65K
Resolution . . . . . 800W x 480H

Connections

Ethernet Port RJ-45
Download Port . . . . . Mini USB
Power . . . . . .2-position screw terminal
Video IN . . . . . "F" Connector
Video Loop OUT . . . . . "F" Connector
Wiring Requirements . . . . . CAT-5 (Data)
16-18AWG 2 wire, RG-6 or RG-59 Coaxial Cable
Power Requirements . . . . . +16VDC/350mA

Dimensions w/ Wall Frame

. . . . . (in.) 12 W x 7.06 H x 2.60 D
. . . . . (mm) 305 W x 179 H x 66 D

Dimensions w/o Wall Frame

. . . . . .(in.)11.62 W x 6.66 H x 2.28 D
. . . . . (in.) 295 W x 169 H x 58 D
Product Weight . . . . . 3.8 lbs./1.72 kg
Shipping Weight . . . . . 5.2 lbs./2.36 kg

Two-Year Limited Warranty

elanhomesystems.com

© ELAN HOME SYSTEMS • 2011 • ELAN Home Systems and g!are registered trademarks of The AVC Group, LLC • Carlsbad, CA USA

TS7 7" In-Wall Color LCD Touch Screen

Features

- 7-inch high-resolution Active Matrix LCD display
- Composite video for viewing TV sources or cameras
- 16:9 wide screen format
- Backlit hard buttons for commonly used functions
- Built-in speaker and microphone for messaging features
- Simple IP connectivity for communication
- Non-volatile flash memory
- Quick & easy programming
- Compatible with all ELAN controllers
- Easy retrofit installation
- Optional backbox and preconstruction brackets sold separately
- Screen saver mode displays user's photos
- Ships standard with white frame
- Frames colors available: almond,light almond, ivory, & black

White Almond Lt. Almond Ivory Black

Specifications

Screen Size . . . . . .7-inch diagonal, 16:9 widescreen
Viewing Angle . . . . . 50°up/60°down,65°left/right from center
Operating Temperature . . . . . 32°F-104°F / 0°C-40°C

Display

Type . . . . . .Color TFT LCD
Colors 65K
Resolution . . . . . 800W x 480H

Connections

Ethernet Port RJ-45
Download Port . . . . . Mini USB
Power . . . . . .2-position screw terminal
Video IN . . . . . "F" Connector
Video Loop OUT . . . . . "F" Connector
Wiring Requirements . . . . . CAT-5 (Data)
16-18AWG 2 wire, RG-6 or RG-59 Coaxial Cable
Power Requirements . . . . . +16VDC/350mA

Dimensions w/ Wall Frame

. . . . . (in.) 8.59 W x 5.46H x 2.60 D
. . . . . (mm) 218 W x 139 H x 66 D

Dimensions w/o Wall Frame

. . . . . (in.) 8.35 W x 5.16H x 2.28 D
. . . . . (mm) 212 W x 131 H x 58 D
Product Weight . . . . . .2.25 lbs /1.02 kg
Shipping Weight . . . . . 3.2 lbs /1.45 kg

Two-Year Limited Warranty

elanhomesystems.com

© ELAN HOME SYSTEMS • 2011 • ELAN Home Systems and g!are registered trademarks of The AVC Group, LLC • Carlsbad, CA USA

TS2 In-Wall Color Touchpad

Convert to a tabletop model by ordering the TS2 Conversion Kit (VL2)

Get Now Playing feedback from 2-way sources



Check the status of your security system and change settings



Keep tabs on your climate control – make changes with just a press

Features

- All the speed, response & graphics of a touch screen with the ease-of-use, simplicity-of-programming & affordability of a keypad
- Controls Media, Lighting, Security, and Climate
- Light sensor for auto dimming & brightening
- Audible touch feedback through built-in speaker
- 2.0-inch, 18-bit, 262k color OLED display provides:
  - Expanded "Now Playing" metadata from 2-way sources
  - Multiple pages for easy source selection
  - DVD/DVR menu navigation & more
- Integrated IR receiver
- Connectivity for remote IR receiver
- IR In/Out port on back for quick connection of external IR signals
- Sense Trigger Input (future use)
- Quick & easy programming using configuration software
- Fits in a standard 2-gang box
- Converts to tabletop use by using the VL2 Conversion Kit
- Frames colors available: white, almond, light almond, ivory, & black in Standard Frame & Euro Frame styles Ships standard with white Euro frame



Specifications

Screen Size . . . . . 3- 3/4 inch diagonal

Viewing Angle . . . . . .180°up/down,180°left/right

Operating Temperature . . . . . 32°F-104°F / 0°C-40°C

Display

Type . . . . . .18 bit, 2.0" Organic LED (OLED)

Colors 262K

Resolution . . . . . .220 W x 176 H

Connections

System Port RJ-45

Interface Port. . . . . .5-position screw terminal

Download Port . . . . . Mini USB

Wiring Requirements CAT-5

Power Requirements . . . . . 12VDC/150mA or 16VDC/150mA

Dimensions w/ Wall Frame

. . . . . (in.) 4-5/8 W x 4-5/8 H x 1-3/16 D

. . . . . (mm) 117 W x 117 H x 30 D

Dimensions w/o Wall Frame

. . . . . (in.) 4-7/16 W x 4-7/16 H x 1-1/8 D

. . . . . (mm) 112 W x 112 H x 26 D

Fits in 32 cu in. double-gang electrical box

Product Weight 14 oz./0.4kg

Shipping Weight 16 oz./0.45kg

Two-Year Limited Warranty

elanhomesystems.com

© ELAN HOME SYSTEMS • 2011 • ELAN Home Systems and g!are registered trademarks of The AVC Group, LLC • Carlsbad, CA USA

PC and Mobile Devices

g! on the go – mobility, accessibility, flexibility

The g!Series delivers complete accessibility and mobility for whatever popular device you wish to use. Whether it's your laptop, iPad, iPod touch, iPhone, – g! provides you a powerful and elegant user experience that puts total control right at your fingertips.

GVSL g! Viewer Software License

The g! Viewer Software License provides one seat to be installed on any ELAN HC Controller. One Viewer License is required for every third-party interface connected to a g! System at the same time; this includes iPhone, iPod touch, iPad and a computer. The GVSL is easy to install and can be added to a system by the dealer over the internet or while on site.

SSHB12 g! Remote Annual Access Subscription

The g! Remote Access Annual Subscription enables the ELAN-managed remote access service allowing homeowners to easily and reliably log into their home without the hassle of a static IP address or some other cumbersome method for tracking the IP address of a home. The SSB12 provides 12 months remote access.

YOUR WORLD MADE SIMPLE



elanhomesystems.com

ELAN®

© ELAN HOME SYSTEMS • 2011 • ELAN Home Systems and g!are registered trademarks of The AVC Group, LLC • Carlsbad, CA USA

On Screen Display (OSD)

Now every TV can be a control surface with g! On-Screen Display

g! On-Screen Display (OSD) lets you control your home systems right from your TV using the same elegant and consistent interface from any g! HC Controller*. Now you can choose music, adjust your temperature, lights, or any system you choose without leaving the couch. Also included is a built-in photo view which turns your TV into a digital picture frame. Nothing gets the family together for "movie night" like a larger-than-life slideshow on the big screen..

YOUR WORLD MADE SIMPLE



*Standard feature with any ELAN HC System Controller.

elanhomesystems.com

ELAN®

© ELAN HOME SYSTEMS • 2011 • ELAN Home Systems and g!are registered trademarks of The AVC Group, LLC • Carlsbad, CA USA